
project number	Architect # 10-04-28
project name	Laramie County Community College Career & Technical Building and Auto Body Roof Replacement
contact person	Martin Crozier

ADDENDUM NO. #1 – December 2, 2016

NOTE: RECEIPT OF THIS ADDENDUM MUST BE ACKNOWLEDGED IN THE SPACE PROVIDED ON THE BID PROPOSAL FORM.

The following revisions have been made to the specifications and contract documents, and drawings for the above referenced project dated November 18, 2016. Addenda items take precedence over the drawings, specifications and contract documents.

Summary of Sections

- A. Project Questions
 - B. Specifications and Contract Documents
 - C. Drawings
 - D. Attachments
-

A. Project Questions:

- 1. Not used

B. Specifications and Contract Documents

- 1. Change title on cover to read:
 - A. Career & Technical Building and Auto Body Building Roof Replacement.

Add to 07 5419 PVC Thermoplastic Single-Ply Roofing

- 1. Part 2 Products
 - 2.01 Manufacturer:
 - B. Manufacturers: Subject to compliance with requirements, available manufacturers offering products that may be incorporated into the Work include but are not limited to the following:
 - 1. Fibertite, Seaman Corporation
 - 2. Other manufacturer's as approved by Architect, through Division 1 Submittal process.
 - 2.04 Roofing Membrane and Associated Materials
 - A. Membrane

1. Material: Ketone Ethylene Ester (KEE) Complying to ASTM D6754-02
2. Reinforcing: Denier weft reinforced polyester knit fabric
3. Thickness : 50 mil
4. Sheet Width: Factory fabricated into largest sheet possible.
5. Exposed Face Color: Color to be selected by Architect from manufacturer's standard colors.
6. Membrane: Fibertite-XT

Change 2.04 Roofing Membrane and Associated Materials

A. Membrane:

5. Color: Color to be selected by Architect from manufacturer's standard colors

C. Drawings

1. Not Used

D. Attachments

1. Not Used